

SPECIAL OFFERS

CONTACT FLOTEC FOR DISCOUNTED PRICING

GP RETRACTABLE AIR HOSE REELS

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



9 Metre Compact Retractable Air Hose Reel, Black Case & Hose

1460	Hose ID	Length Metres
HR5-309BCBH	3/8"	9 + 1

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



17 Metre Compact Retractable Air Hose Reel, Grey Case & Blue Hose

1460	Hose ID	Length Metres
HR5-315GCBH	3/8"	17

- Inlet: garden click connector
- Outlet: hose click connector and water gun



20 Metre Retractable Water Hose Reel, Green Case & Hose

1460	Hose ID	Length Metres
HWR-1220	3/8"	20

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



9 Metre Compact Retractable Air Hose Reel, Grey Case & Blue Hose

1460	Hose ID	Length Metres
HR5-309GCBH	3/8"	9 + 1

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



17 Metre Compact Retractable Air Hose Reel, Red Case & Red Hose

1460	Hose ID	Length Metres
HR5-315R-R	3/8"	17

- Inlet: 3/8" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



20 Metre Open Frame Retractable Metal Air Hose Reel, Blue Hose

1460	Hose ID	Length Metres
HA-4615P	3/8"	20

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



17 Metre Compact Retractable Air Hose Reel, Black Case & Hose

1460	Hose ID	Length Metres
HR5-315BCBKH	3/8"	17

- Inlet: 1/4" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



17 Metre Compact Retractable Air Hose Reel, Blue Case & Yellow Hose

1460	Hose ID	Length Metres
HR5-315SF	3/8"	17

- Inlet: 3/8" BSPT M
- Outlet: 3/8" or 1/4" BSPT M



20 Metre Open Frame Retractable Metal Air Hose Reel, Superflex Yellow Hose

1460	Hose ID	Length Metres
HA-4615PH	3/8"	20



POLYURETHANE ESTER TUBE



Metric, 25 Metre Coils

5030	OD mm	ID mm	Colour	Max Pressure
PU06/040Y	6	4	Yellow	155 psi 11 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU06/040G	6	4	Green	155 psi 11 bar
PU10/065N	10	6.5	Black	125 psi 9 bar
PU12/080N	12	8	Black	120 psi 8 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU06/040B	6	4	Blue	155 psi 11 bar
PU08/060	8	6	Transparent	120 psi 8 bar

Metric, 30 Metre Coils

5030	OD mm	ID mm	Colour	Max Pressure
PU08/060B-30	8	6	Blue	120 psi 8 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU04/025-30	4	2.5	Transparent	190 psi 13 bar
PU04/025B-30	4	2.5	Blue	190 psi 13 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU06/040-30	6	4	Transparent	155 psi 11 bar

Metric, 100 Metre Coils


5030	OD mm	ID mm	Colour	Max Pressure
PU06/040G-100	6	4	Green	155 psi 11 bar
PU08/060Y-100	8	6	Yellow	120 psi 8 bar
PU12/080R-100	12	8	Red	120 psi 8 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU08/060B-100	8	6	Blue	120 psi 8 bar
PU08/060-100	8	6	Transparent	120 psi 8 bar

5030	OD mm	ID mm	Colour	Max Pressure
PU06/040R-100	6	4	Red	155 psi 11 bar
PU08/060N-100	8	6	Black	120 psi 8 bar
PU10/065-100	10	6.5	Transparent	125 psi 9 bar



FLEXIBLE NYLON 12 TUBING (BS5409 & DIN 73378)



30 Metre Coils

0306	OD mm	ID mm	Colour	Max Pressure
BNTM04/025G	4	2.5	Green	400 psi 27 bar
BNTM04/025R	4	2.5	Red	400 psi 27 bar
BNTM05/030	5	3	Natural	400 psi 27 bar
BNTM10/070R	10	7	Red	300 psi 20 bar
BNTM12/090R	12	9	Red	250 psi 17 bar

0306	OD mm	ID mm	Colour	Max Pressure
BNTM04/025N	4	2.5	Black	400 psi 27 bar
BNTM06/040G	6	4	Green	350 psi 24 bar
BNTM08/060R	8	6	Red	350 psi 24 bar
BNTM10/070	10	7	Natural	300 psi 20 bar
BNTM10/070B	10	7	Blue	300 psi 20 bar
BNTM10/080N	10	8	Black	220 psi 15 bar
BNTM12/090	12	9	Natural	250 psi 17 bar

0306	OD mm	ID mm	Colour	Max Pressure
BNTM04/025	4	2.5	Natural	400 psi 27 bar
BNTM06/040	6	4	Natural	350 psi 24 bar
BNTM08/060B	8	6	Blue	350 psi 24 bar

100 Metre Coils

0306	OD mm	ID mm	Colour	Max Pressure
BNTM06/040R-100	6	4	Red	350 psi 24 bar

0306	OD mm	ID mm	Colour	Max Pressure
BNTM08/060B-100	8	6	Blue	350 psi 24 bar

0306	OD mm	ID mm	Colour	Max Pressure
BNTM06/040-100	6	4	Natural	350 psi 24 bar
BNTM06/040N-100	6	4	Black	350 psi 24 bar

FLEXIBLE NYLON TUBING (BS5409)



30 Metre Coils

5010	OD	ID	Colour	Max Pressure
NTI12/375	1/2"	0.375	Natural	250 psi 17 bar
NTI34/594	3/4"	0.594	Natural	200 psi 14 bar

5010	OD	ID	Colour	Max Pressure
NTI14/170	1/4"	0.17	Natural	300 psi 21 bar

Male Stud Swivel Tees



Branch Male Thread,
Metric & BSPT

1060	OD mm	Thread
2019-5293	4	M5
2019-5335	4	1/4"
2019-5772	6	3/8"
2019-5814	8	1/2"
2019-5764	6	1/4"
2019-5848	10	1/4"
2019-5749	6	1/8"

Branch Male Thread,
BSPP

1060	OD mm	Thread
2028-8155	10	1/4"
2028-8072	8	1/4"

Run Male Thread, Metric & BSPT

1060	OD mm	Thread
2019-7992	4	M5
2019-8008	4	1/8"
2019-8040	6	1/4"
2019-8073	8	1/4"
2019-8115	10	1/4"
2019-8032	6	1/8"
2019-8065	8	1/8"

Male Thread, Metric & BSPT

1060	OD mm	Thread
2019-7547	6	1/8"
2019-7612	8	3/8"
2019-7554	6	1/4"

Tube x Tube Connectors



Equal Straights

1060	OD mm
2019-8313	8

Unequal Straights

1060	OD mm	OD mm
2019-8560	8	10

Equal Elbows

1060	OD mm
2019-8370	8

Equal Tees

1060	OD mm
2019-8396	4
2019-8438	12

Unequal Straights

1060	OD mm	OD mm
2019-9170	10	8
2019-9139	6	4

Equal Crosses

1060	OD mm
2019-8990	8

Equal Bulkheads

1060	OD mm	Bulkhead
2019-8529	10	M20 x 1
2019-8503	6	M14 x 1
2019-8511	8	M16 x 1

Male Studs



Male Thread, Metric & BSPT

1060	OD mm	Thread
2019-4890	4	M5
2019-4932	4	1/8"
2019-4957	6	M5
2019-4965	6	1/8"
2019-4981	6	3/8"
2019-5053	10	3/8"

Male Thread, BSPP

1060	OD mm	Thread
2028-7959	10	1/2"
2028-7918	8	1/2"
2028-7975	12	3/8"

Female Studs



Female Thread, BSPP

1060	OD mm	Thread
2019-6739	10	1/8"
2046-7167	4	1/4"
2046-7168	8	1/2"
2019-6929	12	1/4"
2019-6325	4	1/8"

Female Bulkhead Connectors



Female Thread,
Metric & BSPP

1060	OD mm	Thread	Bulkhead
2046-7202	8	1/2"	M16 x 1
2046-7204	10	1/2"	M20 x 1
2019-7497	12	3/8"	M22 x 1
2019-7083	4	1/8"	M12 x 1
2019-7133	6	1/4"	M14 x 1

ONE TOUCH+ PLASTIC PUSH-IN FITTINGS

Male Studs



Male Thread, Metric & BSPT

1060	OD mm	Thread
2175-0864	10	1/8"
2175-0868	12	1/4"
2207-0686	16	3/8"

1060	OD mm	Thread
2175-0851	4	1/8"
2175-0852	4	1/4"
2175-0854	6	M5
2175-0855	6	M6
2175-0857	6	1/4"
2175-0858	6	3/8"
2175-0862	8	3/8"
2175-0863	8	1/2"
2175-0869	12	3/8"
2175-0870	12	1/2"
2207-0687	16	1/2"



Male Thread, BSPP

1060	OD mm	Thread
2175-0878	8	3/8"
2175-0880	10	1/8"
2175-0883	10	1/2"
2175-0884	12	1/4"
2175-0885	12	3/8"
2207-0691	16	1/2"

1060	OD mm	Thread
2175-0873	6	1/8"
2175-0874	6	1/4"
2175-0875	6	3/8"
2175-0877	8	1/4"
2175-0881	10	1/4"
2175-0882	10	3/8"
2175-0886	12	1/2"

Female Studs



Female Thread, BSPP

1060	OD mm	Thread
2175-0901	12	3/8"
2207-0695	16	1/2"
2175-0894	8	3/8"
2175-0898	10	3/8"

1060	OD mm	Thread
2175-0889	6	1/8"
2175-0890	6	1/4"
2175-0893	8	1/4"
2175-0902	12	1/2"

Male Stud Swivel Elbows



Male Thread, Metric & BSPT

1060	OD mm	Thread
2175-0903	4	M5
2175-0912	6	1/2"
2175-0915	8	3/8"
2175-0917	10	1/8"
2175-0921	12	1/4"
2207-0697	14	1/2"

1060	OD mm	Thread
2175-0905	4	1/8"
2175-0914	8	1/4"
2175-0919	10	3/8"
2175-0920	10	1/2"
2175-0922	12	3/8"



Male Thread, BSPP

1060	OD mm	Thread
2175-0932	8	1/2"

1060	OD mm	Thread
2175-0929	8	1/8"
2175-0930	8	1/4"

ONE TOUCH NPT PLASTIC PUSH-IN FITTINGS

Male Studs



Male Thread, NPT

1060	OD mm	Thread
2111-2420	4	1/8"
2111-2537	10	1/8"
2111-2560	10	1/2"
2111-2586	12	3/8"

1060	OD mm	Thread
2111-2495	8	1/8"
2111-2578	12	1/4"

Female Studs



Female Thread, NPT

1060	OD mm	Thread
2111-2628	6	1/8"
2111-2669	8	1/4"
2111-2701	10	1/4"
2111-2719	10	3/8"
2111-2735	12	1/4"

1060	OD mm	Thread
2111-2602	4	1/8"
2111-2610	4	1/4"



ONE TOUCH NPT PLASTIC PUSH-IN FITTINGS

Male Stud Swivel Elbows



Male Thread, NPT

1060	OD mm	Thread
2111-2859	8	1/2"
2111-2883	10	3/8"
2111-2909	12	1/4"
2111-2917	12	3/8"
2111-2776	4	1/4"
2111-2784	6	1/8"
2111-2818	6	1/2"
2111-2875	10	1/4"
1060	OD mm	Thread
2111-2842	8	3/8"


Female Swivel Elbows



Female Thread, NPT

1060	OD mm	Thread
2111-3139	6	1/8"

Male Stud Swivel Tees



Branch Male Thread, NPT

1060	OD mm	Thread
2111-3303	6	1/8"
2111-3311	6	1/4"
2111-3345	8	1/4"



BRASS HOSE TAILS

Elbow Hose Tails, Brass

Male Thread, BSPT



1010	Thread	To Suit Hose ID mm
600-1310	1/4"	10



Swivel Female Thread, Coned Seat, BSPP

1010	Thread	To Suit Hose ID mm
628-1306	1/4"	6



Male Thread, BSPT

1010	Thread	To Suit Hose ID mm
EHT-38-6	3/8"	6
EHT-12-10	1/2"	10

1010	Thread	To Suit Hose ID mm
EHT-18-10	1/8"	10
EHT-38-8	3/8"	8

1010	Thread	To Suit Hose ID mm
EHT-18-6	1/8"	6

1010	Thread	To Suit Hose ID mm
EHT-38-10	3/8"	10

Y Hose Tails, Brass



Male Thread, BSPT

1010	To Suit Hose ID mm
2020-1968	10



NYLON HOSE TAILS

Blanking Caps



BSPT

0497	Thread
PN13-12	1/2"
0497	Thread
PN13-14	1/4"

Reducing Hose Repairers



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID
PN19-14-10	3/8"	3/8"
PN19-19-14	3/4"	—
0497	To Suit Hose ID	To Suit Hose ID
PN19-5-4	3/16"	1/8"
PN19-6-4	1/4"	1/8"
PN19-12-10	1/2"	3/8"

Hose Repairers



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID
PN20-14	—	14mm
0497	To Suit Hose ID	To Suit Hose ID
PN20-4	1/8"	4mm
PN20-10	3/8"	10mm
PN20-12	1/2"	12mm
PN20-19	3/4"	19mm

Blanking Plugs



BSPT

0497	Thread
PN12-18	1/8"
PN12-14	1/4"

NYLON HOSE TAILS

Male Branch Tee Hose Connectors



BSPT

0497	Hose ID		Thread
	Inch	mm	
PN22-8-14	5/16"	8	1/4"
PN22-12-12	1/2"	12	1/2"
PN22-12-34	1/2"	12	3/4"
PN22-16-12	5/8"	16	1/2"
PN22-19-34	3/4"	19	3/4"

0497	Hose ID		Thread
	Inch	mm	
PN22-19-12	3/4"	19	1/2"

Male Elbow Hose Connectors



BSPT

0497	Hose ID		Thread
	Inch	mm	
PN16-10-12	3/8"	10	1/2"
PN16-10-34	3/8"	10	3/4"

0497	Hose ID		Thread
	Inch	mm	
PN16-6-14	1/4"	6	1/4"
PN16-8-14	5/16"	8	1/4"
PN16-8-38	5/16"	8	3/8"
PN16-10-14	3/8"	10	1/4"
PN16-12-14	1/2"	12	1/4"
PN16-12-34	1/2"	12	3/4"
PN16-19-12	3/4"	19	1/2"

0497	Hose ID		Thread
	Inch	mm	
PN16-12-38	1/2"	12	3/8"

Tee Hose Connectors



Tube x Tube

0497	Hose ID	Hose ID mm
PN23-14	14mm	14

0497	Hose ID	Hose ID mm
PN23-8	5/16"	8

0497	Hose ID	Hose ID mm
PN23-5	3/16"	5
PN23-10	3/8"	10
PN23-12	1/2"	12

Elbow Hose Connectors



Tube x Tube

0497	Hose ID	Hose ID mm
PN18-4	1/8"	4
PN18-6	1/4"	6
PN18-12	1/2"	12
PN18-16	5/8"	16

Reducing Tee Hose Connectors



Tube x Tube

0497	Hose ID		
	Inch	Inch	mm
PN24-6-5	1/4"	3/16"	5

Female Swivel Nut x Hose Tails



BSPT

0497	Hose ID		Thread
	Inch	mm	
PN14-5-14	3/16"	5	1/4"
PN14-6-14	1/4"	6	1/4"
PN14-8-14	5/16"	8	1/4"
PN14-10-38	3/8"	10	3/8"
PN14-8-12	5/16"	8	1/2"
PN14-16-34	5/8"	16	3/4"

0497	Hose ID		Thread
	Inch	mm	
PN14-6-38	1/4"	6	3/8"
PN14-8-38	5/16"	8	3/8"
PN14-12-12	1/2"	12	1/2"
PN14-12-34	1/2"	12	3/4"
PN14-19-34	3/4"	19	3/4"

0497	Hose ID		Thread
	Inch	mm	
PN14-10-12	3/8"	10	1/2"

Male x Hose Tails



BSPT

0497	Hose ID		Thread
	Inch	mm	
PN15-8-18	5/16"	8	1/8"
PN15-10-34	3/8"	10	3/4"

0497	Hose ID		Thread
	Inch	mm	
PN15-6-14	1/4"	6	1/4"
PN15-6-12	1/4"	6	1/2"
PN15-8-38	5/16"	8	3/8"
PN15-10-14	3/8"	10	1/4"
PN15-10-38	3/8"	10	3/8"
PN15-16-12	5/8"	16	1/2"

0497	Hose ID		Thread
	Inch	mm	
PN15-6-18	1/4"	6	1/8"
PN15-8-12	5/16"	8	1/2"
PN15-12-12	1/2"	12	1/2"
PN15-19-12	3/4"	19	1/2"
PN15-19-34	3/4"	19	3/4"



ISO A & B INTERCHANGE COUPLINGS & PLUGS

**Carbon Steel
ISO A Coupling with
Nitrile Seals, BSPP**



8111	Thread	Max Pressure Bar
HKSA32CS	2"	130
8111	Thread	Max Pressure Bar
HKSA16CS	1"	230

**Carbon Steel
ISO A Plug with
Nitrile Seals, BSPP**



8111	Thread	Max Pressure Bar
HKPA32CS	2"	130
8111	Thread	Max Pressure Bar
HKPA08CS	1/2"	250

**316 Stainless Steel
ISO A Coupling with
Viton Seals, BSPP**



8111	Thread	Max Pressure Bar
HFSSFC7338-V	3/8"	200
HFSSFC7334-V	3/4"	160
HFSSFC7310-V	1"	125

**316 Stainless Steel
ISO A Plug with
Viton Seals, BSPP**



8111	Thread	Max Pressure Bar
HFSSFP7334-V	3/4"	160
HFSSFP7310-V	1"	125

**Brass ISO B Coupling with
Nitrile Seal, BSPP**



0249	Thread	Max Pressure Bar
HKS02B	1/8"	200
HKS12B	3/4"	120

**Carbon Steel
ISO B Coupling with
Nitrile Seal, BSPP**



0249	Thread	Max Pressure Bar
HKS08CS	1/2"	250

**Carbon Steel
ISO B Plug with
Nitrile Seal, BSPP**



0249	Thread	Max Pressure Bar
HKP08CS	1/2"	250

**316 Stainless Steel
ISO B Coupling with
Nitrile Seal, BSPP**



0249	Thread	Max Pressure Bar
HKS12SS	3/4"	160
0249	Thread	Max Pressure Bar
HKS04SS	1/4"	250
HKS06SS	3/8"	200
HKS08SS	1/2"	200

**316 Stainless Steel ISO B Coupling
with Viton Seal, BSPP**




0249	Thread	Max Pressure Bar
HKS04SS-V	1/4"	250

**316 Stainless Steel
ISO B Plug with
Nitrile Seal, BSPP**



0249	Thread	Max Pressure Bar
HKP08SS	1/2"	200

**316 Stainless Steel ISO B Plug with Viton
Seal, BSPP**



0249	Thread	Max Pressure Bar
HKP04SS-V	1/4"	250



**ISO A Coupling
Dust Protection Plug**

8111	To Suit
ISOADC-4	1/4"
8111	To Suit
ISOADC-12	3/4"



ISO A Plug Dust Protection Cap

8111	To Suit
ISOADP-16	1"
8111	To Suit
ISOADP-4	1/4"
ISOADP-12	3/4"



**ISO B Plug & Coupling
Dust Protection Cap**

8111	To Suit
ISOBDP-12	3/4"
8111	To Suit
ISOBDP-4	1/4"

NICKEL PLATED BRASS ADAPTORS

Equal Male Adaptors

Male Thread, BSPT

0422	Thread
DN33/33K	1"



Male Thread, Metric & BSPP

0422	Thread
DN05/05	M5
DN17/17	3/8"



Male x Female Adaptors

Male Thread, BSPT x Female Thread, BSPP

0422	Male Thread	Female Thread
RL10/17K	1/8"	3/8"
0422	Male Thread	Female Thread
RL13/21K	1/4"	1/2"
RL17/17K	3/8"	3/8"
RL17/26K	3/8"	3/4"
0422	Male Thread	Female Thread
RL13/13K	1/4"	1/4"



Male Thread, BSPP x Female Thread, Metric & BSPP

0422	Male Thread	Female Thread
RL13/21	1/4"	1/2"
RL17/21	3/8"	1/2"
RL21/33	1/2"	1"
0422	Male Thread	Female Thread
RL05/10	M5	1/8"
RL17/17	3/8"	3/8"
RL17/26	3/8"	3/4"
RL21/26	1/2"	3/4"



Extension, Male Thread, BSPP x Female Thread, BSPP

0422	Thread	Length mm
RL17/17X	3/8"	41
RL21/21X	1/2"	35
0422	Thread	Length mm
RL10/10X	1/8"	22



Unequal Male Adaptors

Male Thread, BSPT

0422	Thread	Thread
DN17/21K	3/8"	1/2"



Male Thread, Metric & BSPP

0422	Thread	Thread
DN10/17	1/8"	3/8"
DN26/33	3/4"	1"
0422	Thread	Thread
DN05/10	M5	1/8"
DN21/26	1/2"	3/4"



Reducing Bushes

Male Thread, BSPP x Female Thread, Metric & BSPP

0422	Male Thread	Female Thread
RK42/50	1.1/2"	1.1/4"



0422	Male Thread	Female Thread
RK26/33	1"	3/4"
0422	Male Thread	Female Thread
RK05/10	1/8"	M5
0422	Male Thread	Female Thread
RK10/13	1/4"	1/8"
RK13/17	3/8"	1/4"

Male Thread, BSPT x Female Thread, BSPP

0422	Male Thread	Female Thread
RK13/33K	1"	1/4"
RK17/33K	1"	3/8"
0422	Male Thread	Female Thread
RK13/26K	3/4"	1/4"
0422	Male Thread	Female Thread
RK17/21K	1/2"	3/8"



Male Thread, BSPP x Female Thread, Metric & BSPP

0422	Male Thread	Female Thread
2095-17/13	3/8"	1/4"



Equal Swivel Connectors

Male Thread, BSPT x Female Thread, BSPP

0422	Thread
2110-14	1/4"



Male Thread, BSPP x Female Thread, BSPP

0422	Thread
2115-14	1/4"



Note: un-plated only.

Male Thread, BSPT x Female Thread, BSPP

0422	Thread
SF21	1/2"



Equal Sockets

Female Thread, Metric & BSPP

0422	Thread
MU05	M5
0422	Thread
MU13	1/4"



Unequal Sockets

Female Thread, Metric & BSPP

0422	Thread	Thread
MU05/10	M5	1/8"



0422	Thread	Thread
MU10/17	1/8"	3/8"
MU21/33	1/2"	1"
0422	Thread	Thread
MU13/17	1/4"	3/8"



NICKEL PLATED BRASS ADAPTORS

Equal Elbows



Female Thread, Metric & BSPP

0422	Thread
WI13	1/4"
WI17	3/8"
WI21	1/2"



Male Thread, Metric & BSPT x Female Thread, Metric & BSPP

0422	Thread
WSL17	3/8"

0422	Thread
WSL13	1/4"



Male Thread, Metric & BSPT

0422	Thread
WA17	3/8"

0422	Thread
WA21	1/2"

Equal Tees



Offset Male Thread, BSPT x Female Thread, BSPP

0422	Thread
TD17	3/8"
TD21	1/2"



Branch Female Thread, Metric & BSPP x Male Thread, Metric & BSPT

0422	Thread
TC10	1/8"
TC17	3/8"



Male Thread, BSPT

0422	Thread
TA17	3/8"



Female Thread, Metric & BSPP

0422	Thread
TI17	3/8"



Offset Female Thread, Metric & BSPP x Male Thread, Metric & BSPT

0422	Thread
TB17	3/8"



BRASS ADAPTORS

Male Adaptors - Equal



Male Thread, BSPT

1000	Thread
UP1-114	1.1/4"

1000	Thread
UP1-34	3/4"

1000	Thread
UP1-14	1/4"
UP1-1	1"



Male Thread, NPT x BSPT

1000	Thread
660-1717	3/8"

1000	Thread
660-1010	1/8"



Male Thread, Metric

1000	Thread
2018-MM05	M5 x 0.8
2018-MM10	M10 x 1.0
2018-MM14	M14 x 1.5
2018-MM16	M16 x 1.5
2018-MM20	M20 x 1.5

1000	Thread
2018-MM08	M8 x 1.0



Flat Faced, Male Thread, BSPP

1000	Thread
PM12-12FF	1/2"




BRASS ADAPTORS

Male Adaptors - Unequal



Male Thread, BSPT x BSPT

1000	Thread	
UP2-18-38	1/8"	3/8"



Male Thread, BSPP x BSPT

1000	BSPP Thread	BSPT Thread
UP2-14-12P	1/4"	1/2"
UP2-34-1P	3/4"	1"

1000	BSPP Thread	BSPT Thread
UP2-18-14P	1/8"	1/4"
UP2-38-12P	3/8"	1/2"



Male Thread, NPT x NPT

1000	Thread	
2018-2523	3/8"	3/8"
2018-2580	1/2"	3/4"

1000	Thread	
2018-2481	1/8"	1/4"

1000	Thread	
2018-2556	1/2"	1/2"



BRASS PLUGS

Allen Key Plugs



Male Thread, Metric

1000	Thread
AK-MM14	M14 x 1.5
AK-MM20	M20 x 1.5
AK-MM22	M22 x 1.5
AK-MM24	M24 x 1.5

1000	Thread
AK-MM16	M16 x 1.5

1000	Thread
AK-MM08	M8 x 1.0
AK-MM10	M10 x 1.0



Male Thread, NPT

1000	Thread
AK-NN12	1/2"

1000	Thread
AK-NN14	1/4"



Male Thread, BSPP

1000	Thread
AK-PP38	3/8"

1000	Thread
AK-PP18	1/8"




Male Thread, BSPT

1000	Thread
AK-TT38	3/8"

1000	Thread
AK-TT18	1/8"

Flanged Plugs



Male Thread, BSPP

1000	Thread
VFP17	3/8"

Caps



Female Thread, BSPP

1000	Thread
VCAP10	1/8"
VCAP13	1/4"

1000	Thread
VCAP17	3/8"
VCAP21	1/2"

Air Vents



Male Thread, BSPP


1000	Thread
AK-VV18	1/8"



LAYFLAT HOSE

Layflat Delivery Hose

- Temperature Range: -15°C to +55°C
- Maximum Working Pressure:
Yellow: 6 bar
Blue: 4.5 bar



Yellow, 10 Metre Coils

5993	ID	ID mm
YLH-112-10	1.1/2"	38

Yellow, 100 Metre Coils

5993	ID	ID mm
YLH-114	1.1/4"	32
YLH-3	3"	76
YLH-6	6"	152

Blue, 100 Metre Coils

5993	ID	ID mm
LFH-1-100	1"	25
LFH-6-100	6"	150

Layflat Hose Couplings



Male

6000	To Suit Hose ID
LMC-1	1"
LMC-2	2"

Female

6000	To Suit Hose ID
LFC-2	2"
LFC-3	3"
6000	To Suit Hose ID
LFC-112	1.1/2"

SYPHON PUMP



0225	To Suit
J2653	205 Litre Barrels



PRESSURE WASHER LANCES

- Inlet connection: 3/8" BSPP
- Maximum flow: 25 L/min
- 15° spray pattern nozzle
- Maximum Working Temperature: +150°C
- Maximum Working Pressure: 280 bar



Straight Moulded Grip

1369	Length mm
PRESSURE-LANCE	900

- Inlet connection: 3/8" BSPP
- Maximum flow: 40 L/min
- Nozzle holder and protector
- 15° spray pattern nozzle
- Adjustable high/low pressure nozzle
- Extra hand grip allows the user more control of the spray
- Maximum Working Temperature: +150°C
- Maximum Working Pressure: 280 bar



Solid Moulded Hand Grip, BSPP

1369	Length mm
CD-2502	900



K-LINE CONNECT

MALLEABLE IRON FITTINGS

Barrel Nipples to BS EN 10241



Galvanised, BSPT


0357	Thread	Length mm
ENBN-12X150	1/2"	150
ENBN-1X100	1"	100
ENBN-1X150	1"	150
ENBN-114X80	1.1/4"	80
ENBN-112X100	1.1/2"	100
ENBN-2X150	2"	150

0357	Thread	Length mm
ENBN-2X80	2"	80

0357	Thread	Length mm
ENBN-38X100	3/8"	100
ENBN-2X200	2"	200



SWIVEL RANGE



Female Swivel (173F)

1089	Pipe Clamp Size
PCLAMPS-173F-2	2



Single Sided Mesh Panel Clip (170)

1089	Pipe Clamp Size
PCLAMPS-170-2	2

BALL VALVES

WRAS, Lever Handles, Brass Nickel Plated

- Working Temperature: -10°C to +120°C
- Maximum Working Pressure: 25 bar




Female x Female, BSPP

0682	Thread
1063-12	1/2"
1063-34	3/4"
1063-1	1"
1063-2	2"

EN 331 Gas, Lever Handles, Brass Nickel Plated

- Working Temperature: -10°C to +80°C
- Maximum Working Pressure: 5 bar




Female x Female, BSPP

0682	Thread
1071-3	3"

0682	Thread
1071-38	3/8"

EN 331 Gas, Wing Handles, Brass Nickel Plated

- Working Temperature: -10°C to +80°C
- Maximum Working Pressure: 5 bar



Female x Female, BSPP

0682	Thread
1072-14	1/4"

Light Model Brass Ball Valves

- Lightweight, low pressure brass ball valve
- Suitable for domestic water services, heating, air conditioning and compressed air systems
- Available up to 4" on request
- Working Temperature: -15°C to +120°C
- Maximum Working Pressure: 25 bar



Female x Female, BSPP, Lever Handle

0109	Thread
LMBV-112	1.1/2"
0109	Thread
LMBV-1	1"

Heavy Model Brass Ball Valves, Full Bore

- Working Temperature: 0°C to +90°C
- Maximum Working Pressure: 40 bar



Male BSPT x Female BSPP, Long Female Thread, Lever Handle

0910	Thread
BV13-1	1"

BALL VALVES

Heavy Model Brass Ball Valves, Full Bore

- PTFE ball seal
- Long threads
- Return line ball valve
- Working Temperature: -10°C to +90°C
- Maximum Working Pressure: 40 bar




Female x Female, BSPP, Lever Handle

0109	Thread
HMBV-2	2"
0109	Thread
HMBV-34	3/4"
HMBV-1	1"
HMBV-114	1.1/4"

Full Flow Ball Valves, Brass

- Working Temperature: -15°C to +150°C




Type BV90, Female x Female, BSPP, Lever Handle

0090	Thread
BV90-2	2"

Steel Long Handle

- Full bore
- Long thread
- Flat steel handle
- Seal material PTFE
- Working Temperature: -15°C to +120°C
- Maximum Working Pressure: 25 bar



Male x Female, BSPP, Blue

0109	Thread
2064-7939	1.1/4"



Female x Female, BSPP, Red

0109	Thread
2023-0462	3/4"
2023-0470	1"




Male x Female, BSPP

0109	Thread
2024-1840	1"


Mini Ball Valves, Brass

- Polished chrome finish
- Seal material PTFE
- Working Temperature: -15°C to +100°C
- Maximum Working Pressure: 8 bar (120 psi)



Type MBV, Female x Female, Black Lever Handle, BSPP

0090	Thread
MBV34S	3/4"
0090	Thread
MBV38S	3/8"



Type MBVM, Male x Female, Black Lever Handle, BSPP

0090	Thread
MBVM18S	1/8"
0090	Thread
MBVM14S	1/4"

HUK valves

316 STAINLESS STEEL MINI VALVES

- Working Temperature: -20°C to +200°C
- Maximum Working Pressure: 20 bar
- Seal: PTFE



Female, BSPP

0030	Thread
980-1/4	1/4"



316 STAINLESS STEEL BALL VALVES

3 Piece, Full Bore, Direct Mount



Socket Weld

0924	Thread
2011ND-1	1"

Butt Weld

0924	Thread
2012ND-1	1"

BSPP

0924	Thread
2013ND-14	1/4"
2013ND-1	1"

0924	Thread
2013ND-114	1.1/4"
2013ND-112	1.1/2"
2013ND-2	2"



GATE VALVES



- Suitable for domestic water services, heating, air-conditioning plants
- Working Temperature: 0°C to +150°C in absence of steam
- Maximum Working Pressure: 16 bar



Brass, Type 156 PN16, Female, BSPP

0089	Thread
IT156-1	1"
IT156-2	2"



BALL VALVES



2 Piece Flanged Fire Safe Direct Mount Ball Valve, Stainless Steel

0924	Size	Flanged
2019D 05	3/4"	PN16/40
2019D 10	2.1/2"	PN16
2019D4 10	2.1/2"	PN40

0924	Size	Flanged
2019D 07	1.1/4"	PN16/40


2 Piece Flanged Fire Safe Direct Mount Ball Valve, Carbon Steel

0924	Size	Flanged
2019D 10C	2.1/2"	PN16



CHECK VALVES

- Suitable for domestic water services, heating and air-conditioning plants, compressed air systems. Suited for installation in any position: vertical, horizontal or diagonal
- Working Temperature: -20°C to +100°C



Brass, Type 100 Europa, Female, BSPP

0089	Thread	Max Pressure
IT100-114	1.1/4"	18 bar
IT100-112	1.1/2"	18 bar

0089	Thread	Max Pressure
IT100-1	1"	25 bar

0089	Thread	Max Pressure
IT100-38	3/8"	25 bar
IT100-34	3/4"	25 bar



Brass, Type 103 York, Female, BSPP

0089	Thread	Max Pressure
IT103-114	1.1/4"	10 bar
IT103-112	1.1/2"	10 bar



Strainer, Stainless Steel with Polymer Thread, BSPP

0089	Thread
IT102-12	1/2"
IT102-114	1.1/4"

0089	Thread
IT102-34	3/4"

MIKALOR

SUPER & SUPRA CLAMPS

- Heavy-duty hose clamp for agricultural, irrigation mining and industrial hose applications
- Band: mild steel yellow zinc plate chromate and passivated
- T-Bolt: 8.8 steel yellow zinc plate chromate and passivated



Super W1 Mild Steel with Steel Screw

5556	Min Size mm	Max Size mm
SBC2022	20	22
SBC4043	40	43
SBC4851	48	51
SBC5255	52	55
SBC5659	56	59
SBC6873	68	73
SBC104112	104	112
SBC113121	113	121
SBC149161	149	161

- The revolutionary patented design of the Supra clamp makes it the strongest on the market
- The unique swivelling bridge means that Supra can be mounted in the most difficult applications
- Band: AISI 430 stainless steel
- Bolt: steel Cr3 white zinc plated
- (Chrome 6 free)



Supra W2 430 Stainless Steel with Steel Screw

5556	Min Size mm	Max Size mm
MS1934	213	226
MS1941	304	317
MS1901	17	19
MS1911	40	43
MS1913	47	51
MS1915	55	59
MS1920	79	85
MS1922	91	97
MS1924	104	112
MS1929	150	162
MS1938	265	278
MS1903	21	23
MS1908	31	34
MS1909	34	37
MS1910	37	40
MS1912	43	47
MS1916	59	63
MS1917	63	68
MS1919	73	79

C-CURE

HEAVY-DUTY STEEL HOSE CLAMPS



Zinc Yellow Plated

5555	Min Size mm	Max Size mm
HDSHS-149161	149	161
HDSHS-201213	201	213
HDSHS-2022	20	22
HDSHS-7479	74	79
HDSHS-98103	98	103
HDSHS-2931	29	31
HDSHS-5255	52	55
HDSHS-6873	68	73
HDSHS-104112	104	112
HDSHS-162174	162	174

STAINLESS STEEL SUPERIOR CLAMPS



Grade 304 Stainless Steel Band, Housing & Screw

5555	Min Size mm	Max Size mm
SHC40-43	40	43
SHC64-67	64	67
SHC80-85	80	85
SHC86-91	86	91
SHC23-25	23	25
SHC20-22	20	22
SHC32-35	32	35
SHC36-39	36	39
SHC44-47	44	47
SHC56-59	56	59
SHC113-121	113	121
SHC17-19	17	19
SHC26-28	26	28
SHC60-63	60	63

C-CURE

P-CLIPS

- 12.7mm band
- M6 fixing hole



Mild Steel, EPDM Liner

5559	Min Size mm
A980200	20
A980290	29
A980550	55
A980140	14
A980190	19
A980400	40
A980500	50
A980080	8
A980100	10
A980220	22



Stainless Steel, EPDM Liner

5559	Min Size mm
D980250	25
D980500	50
D980550	55
D980060	6
D980100	10
D980180	18
D980200	20
D980320	32
D980660	66
D981000	100



150LB 316 STAINLESS STEEL PIPE FITTINGS

Hexagon Blanking Caps



Female Thread, BSPP

1111	Thread
HBC-2	2"
HBC-38	3/8"

1111	Thread
HBC-18	1/8"
HBC-14	1/4"

Male/Female Unions



Male Thread, BSPT x Female Thread, BSPP (2 Piece)

1111	Thread
MFU-38	3/8"

Female Unions



Female Thread, BSPP (2 Piece)

1111	Thread
HU-38	3/8"
HU-2	2"

1111	Thread
HU-112	1.1/2"

Equal Nipples



Male Thread, BSPT

1111	Thread
HN-212	2.1/2"

1111	Thread
HN-18	1/8"

1111	Thread
HN-2	2"

Lock Nuts



Female Thread, BSPP

1111	Thread
LN-18	1/8"
LN-14	1/4"
LN-38	3/8"
LN-1	1"

1111	Thread
LN-114	1.1/4"

Blanking Plugs



Male Thread, BSPT

1111	Thread
HP-38	3/8"

1111	Thread
HP-14	1/4"

Male Thread, NPT

1111	Thread
NPT62181000	1/8"

Equal Crosses



Female Thread, BSPP

1111	Thread
EC-1	1"

1111	Thread
EC-38	3/8"
EC-34	3/4"

Straight Hose Tails



Female Fixed Thread, BSPP

1111	Thread	To Suit Hose ID
SFHT13/06	1/4"	6mm (1/4")
SFHT26/19	3/4"	19mm (3/4")
SFHT33/25	1"	25mm (1")

Swivel Female Thread, 60° Coned Seat, BSPP



1111	Thread	To Suit Hose ID
FH26/34SS	3/4"	3/4" (19mm)

Equal Hose Joiner



1111	Thread
DS08-SS	5/16" (8mm)

1111	Thread
DS13-SS	1/2" (13mm)

Male Thread, BSPT

1111	Thread	To Suit Hose ID
HT-14-10	1/4"	3/8" (10mm)
HT-38	3/8"	3/8" (10mm)
HT-2	2"	2" (50mm)

